damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Air Compressor and Pumping Set required for Channagiri Water Supply" with the above enquiry number.

This enquiry will be closed on the 1st September 1953.

SCHEDULE.

Sl. No.	Description of material offered	Quantity.	Price quoted f.o.r.	Time of delivery
1	*Air Compressor Unit*:—An Air Compressor Plant capable of delivering 35 C.ft. of air per minute at a maximum discharge pressure of 110 lbs. per sq. inch to lift 65 gallons per minute from 3 bore wells of different depths, yield, etc., (*vide* separate statement printed below) and having a submergence or about 60 to 65 per cent against a total lift of 75 to 85 feet (including lift above ground level). The compressor is to be driven by an electric motor of suitable capacity (estimated to be about 15 H.P. correct H.P. to be stated by the firm) to work on 50 cycles, 440 volts, 3 phase, 4 wire system. The unit should accompany all accessories like pressure gauge, air receiver, unloader, safety valves, etc.	Two	Shimoga	...
2	*Pumping Unit*:—Two stage, horizontal split casing, Centrifugal pump unit capable of pumping 65 G.P.M. against a total head of about 235 feet from all causes. It should be directly coupled to an electric motor of 10 H.P. mounted on a common bed plate and to work on a power supply system of 50 cycles, 440 volts, 3 phase, 4 wire system. It should accompany all accessories such as ammeter, voltmeter, suction and delivery pressure gauges, foot valve, and non-return valves and a delivery sluice valve, etc.	Two	...	...

DETAILS OF BOREWELLS WITH DETAILS FOR AIR COMPRESSOR.

Serial Number	Borewell number	Location of borewell with respect to Pump House	Depth (Feet)	Yield (G.P.M.)	Static water level.	Working water level.	Drawn Down	Location of pump
1	2	3	4	5	6	7	8	9
1	First ...	20'—30'	250'	12	10'	80'	70'	245
2	Second ...	618'	202'	23	10'	70'	60'	195
3	Third ...	652'	202'	30	10'	70	60'	195

Serial Number	Borewell number	Starting submergence	Working submergence	Percentage submergence	Lift above G.L.	Total lift	Actual Air required C.ft/min.	Starting pressure lbs./Sq. inch	Working pressure lbs./sq. inch
		10	11	12	13	14	15	16	17
1	First ...	235'	165'	66%	5'	75' to 80'	5·4	102	67
2	Second ...	186'	125'	60%	15'	85' to 90'	12·10	81	61
3	Third ...	185'	125'	60%	10'	80'	15·30	81	55
Total air required							83·80 C.ft.		

H.P. of motor estimated—15 H.P. (Approximate).

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax, should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. Quotations may be sent in duplicate.
5. Whether your firm has been registered in the Stores Purchase Committee Office as per new rules, may be mentioned.
6. Quotations will be opened at 2. P.M. on the next working day after the closing date of the enquiry.

I. P. MALLAPPA,
Secy., S.P.C.

3488a

OFFICE OF THE MYSORE PUBLIC SERVICE COMMISSION, "BALLABROOIE", PALACE ROAD, HIGH GROUNDS, BANGALORE.

Notification No. 5912—53-4—*P.S.C.*—2-53-2, *dated* 11*th August* 1953.

In accordance with the Rule 15 of the Revised Rules of Recruitment, 1934, the approved "A" (General), "B" (Special) lists of eligible candidates, arranged in the relative order of preference, for appointment to the class and kind of service noted hereunder, is hereby published for information of the candidates.

Class of appointment.—Class I.

Kind of appointment.—Clerks, Accountants, etc.

Unit Office.—Office of the Commissioner of Sales-Tax in Mysore, Bangalore.

"B" OR "SPECIAL" LIST.

Delete the name of Sri Abdul Aleem Khan against Sl. No. 1 in the "B" list issued to the above Unit Officer in this Office Notification No. 10451—50-51—P.S.C. 1-52-17, dated the 11th March 1953.

3391

Notification No. G. 3879—53-4—*P.S.C.* 33-53-24, *dated* 17*th August* 1953.

Kind of Appointment.—Mistresses in Urdu Primary Girls' Schools.

Class of Appointment—Class III.

Unit Office.—The District Educational Officer, City District, Bangalore.

Insert in Notification No. 1182—P.S.C. 12-47-6, dated the 22nd August 1947.

Sl. No. 1 (d) G. D. Basheerunnisa, C/o Sri Gulam Dastagir Sahib, Urdu Munshi, Central High School, Bangalore City.

Sl. No. 1 (e) Salima Bi, C/o Moulvi S. Abdul Gaffar, Assistant Master, Urdu Middle School, Sultanpet, Bangalore.

Sl. No. 1 (f) Fathima Bi, C/o Sri Mohammed Shariff, Village Postman, Parvathipuram, Bangalore.

(and delete the names of Sm. G. D. Basheerunnisa and Sm. Salima Bi against Sl. Nos. 4 and 9 in Notification No. 2698—48-49—P.S.C. 9-48-13 dated 4th October 1948 and the name of Sm. Fathima Bi against Sl. No. 2 in Notification No. 7818—P.S.C. 12-50-6, dated 2nd January 1951 issued to the above Unit Officer).

3362

Notification No. S. 882—53-54—*P.S.C.* 7-53-1, *dated* 10*th August* 1953.

Recruitment of Stipendiaries for Training in Sericulture.

Applications are invited in five sets (Typewritten) from qualified candidates for admission to the Sericultural Training School, at the Government Silk Farm, Channapatna.

A batch of 60 candidates will be selected for Sericultural Training for a period of nine months.

The trainees will be of two categories as shown hereunder:—

Category I.—18 candidates will be selected for this category.

Minimum qualification.—A degree with natural Science as optionals.

Each candidate will be given a stipend of Rs. 40 per mensem for 9 months.

They will be absorbed as Sericultural Inspectors in grade Rs. 60—5—9/0E.B. 6—150 as and when vacancies occur.

Category II.—42 candidates will be selected for this category.

Minimum qualification.—S.S.L.C. with Science as an optional subject.

Each candidate will be given a stipend of Rs. 30 per mensem for 9 months.

They will be appointed as Sericultural Demonstrators in grade Rs. 45—2—55/E.B. 3—85 as and when vacancies arise.